



FIGURE 1
Trends in Annual Prevalence of an Illicit Drug Use Index
Grades 8, 10, and 12




Source. The Monitoring the Future study, the University of Michigan.

FIGURE 2
Marijuana: Trends in Annual Use, Risk, Disapproval, and Availability
 Grades 8, 10, and 12



Source. The Monitoring the Future study, the University of Michigan.


FIGURE 3
Trends in Annual Prevalence of Any Illicit Drug other than Marijuana*
 Grades 8, 10, and 12



Source. The Monitoring the Future study, the University of Michigan.


*Beginning in 2001, revised sets of questions on other hallucinogen use and tranquilizer use were introduced. Data for "any illicit drug other than marijuana" were affected by these changes.

FIGURE 4
Amphetamines: Trends in Annual Use, Risk, Disapproval, and Availability
 Grades 8, 10, and 12




Source: The Monitoring the Future study, the University of Michigan.

FIGURE 5
Methamphetamine: Trends in Annual Use
 Grades 8, 10, and 12




Source. The Monitoring the Future study, the University of Michigan.

FIGURE 6
Crystal Methamphetamine (Ice): Trends in Annual Use, Risk, and Availability
 Grades 8, 10, and 12




Source. The Monitoring the Future study, the University of Michigan.

FIGURE 7
LSD: Trends in Annual Use, Risk, Disapproval, and Availability
 Grades 8, 10, and 12



Source. The Monitoring the Future study, the University of Michigan.


FIGURE 8
Sedatives (Barbiturates): Trends in Annual Use, Risk, Disapproval,
and Availability
 Grades 8, 10, and 12



Source. The Monitoring the Future study, the University of Michigan.

*In 2004, the question text was changed from "barbiturates" to "sedative/barbiturates" and the list of examples was changed.


FIGURE 9
Tranquilizers: Trends in Annual Use and Availability
 Grades 8, 10, and 12



Source. The Monitoring the Future study, the University of Michigan.

*Beginning in 2001, a revised set of questions on tranquilizer use was introduced, in which "Xanax" replaced "Miltown" in the list of examples.


FIGURE 10
Other Narcotics: Trends in Annual Use and Availability
 Grades 8, 10, and 12



Source. The Monitoring the Future study, the University of Michigan.


*Beginning in 2002, a revised set of questions on other narcotics use was introduced, in which Talwin, laudanum, and paregoric were replaced with Vicodin, OxyContin, and Percocet.

FIGURE 11
MDMA (Ecstasy): Trends in Annual Use, Risk, Disapproval, and Availability
 Grades 8, 10, and 12




Source. The Monitoring the Future study, the University of Michigan.

FIGURE 12
Inhalants: Trends in Annual Use, Risk, and Disapproval
 Grades 8, 10, and 12




Source. The Monitoring the Future study, the University of Michigan.

FIGURE 13
Steroids: Trends in Annual Use, Risk, Disapproval, and Availability
 Grades 8, 10, and 12



Source. The Monitoring the Future study, the University of Michigan.


FIGURE 14
Alcohol: Trends in 30-Day Use, Risk, Disapproval, and Availability
 Grades 8, 10, and 12



Source. The Monitoring the Future study, the University of Michigan.

*Beginning in 1993, a revised set of questions on alcohol use was introduced, in which a drink was defined as "more than just a few sips."

FIGURE 15
Alcohol: Trends in Having Been Drunk, Risk, Disapproval, and Availability
 Grades 8, 10, and 12



Source. The Monitoring the Future study, the University of Michigan.